520 Rec'd PCT/PTO 28 JAN 2000.

			SA LIGHT AND FACTOR									
- 1 ((Rev. 5-93)	OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NO. H 3033 PCT/US									
1	TRANSMITTAL LETTER TO T	HE UNITED STATES										
	DESIGNATED/ELECTED OFFI CONCERNING A FILING UND	CE (DO/EO/US) EP 35 U.S.C. 371	U.S. APPLICATION NO. (if known sec. 17 CFR 1.5)									
			PRIORITY DATE CLAIMED									
	INTERNATIONAL APPLICATION NO. PCT/EP98/04534	INTERNATIONAL FILING DATE July 20, 1998	July 28, 1997									
L		Ouly 20, 1000		ń								
	TITLE OF INVENTION LOW VISCOSITY DISPERSION FOR PAPER OR TEXTILE PROCESSING											
	APPLICANT(S) FOR DO/EO/US Ansgar Behler, Bernd Wahle, Ludwig Boenniger, Yvonne Reichert and Almud Folge											
	Applicant herewith submits to the United St	ates Designated/Elected Office (EO/DO/US)	he following items and other information:									
	1. This is a FIRST submission of it	ems concerning a filing under 35 U.S.C. 371.										
	2. This a SECOND or SUBSEQUE	NT submission of items concerning a filing ur	der 35 U.S.C. 371.									
	3. This express request to begin no examination until the expiration of	ational examination procedures (35 U.S.C. 371 f the applicable time limit set in 35 U.S.C. 371	(f)) at any time rather than delay (b) and PCT Articles 22 and 39 (1).									
***	4. A proper Demand for Internation	al Preliminary Examination was made by the 1	9th month from the earliest claimed priority date.									
Taria.	5. A copy of the International Applic	cation as filed (35 U.S. C. 371(c)(2)).	and Bureau)									
from the F	 b. mas been transmitted by 	required only if not transmitted by the Internation the International Bureau.										
100 H	c. is not required, as the application was filed in the United States Receiving Office (RO/US).											
an.	6. ■ A translation of the International Application into English (35 U.S.C. 371(c)(2)).											
14												
Marin Marin	h □ have been transmitted b	y the International Bureau. wever, the time limit for making such amendm										
	d. ■ have not been made and	will not be made.										
	8. A translation of the amendments to	the claims under PCT Article 19 (35 U.S.C.	371(c)(3)).									
alle man	9. An oath or declaration of the invent	or(s) (35 U.S.C. 371(c)(4)). (UNEXECU	JTED)									
	10. A translation of the annexes to the	International Preliminary Examination Report	ınder PCT Article 36 (35 U.S.C. 371(c)(5)).									
2.7	Items 11. to 16. below concern other do 11. ■ An Information Disclosure Statemen	ocument(s) or information included: ent under 37 CFR 1.97 and 1.98.										
	12. An assignment document for recor	rding. A separate cover sheet in compliance w	rith 37 CFR 3.28 and 3.31 is included.									
	13. ■ A FIRST preliminary amendment □ A SECOND or SUBSEQUENT pr	eliminary amendment.										
	14. □ A substitute specification.											
-	15. ☐ A change of power of attorney and	/or address letter.										
1	16. ■ Other items or information.:	Other items or information.:										
	International Search F	Report (With Information Disc	osure Citation and References)									
		e to Addressee" service Mai	ling Label Number									
	EL444424928US .			,								
		\		CH								

420 Rec'd PCT/PTO 2 8 JAN 2000

U.S. Application No. (If known see CFR139) 09/463675 INTERNATIONAL APPLICATION NO. PCT/EP98/04534					'S DOCKET PCT/US		
17. The following fees Basic National Fe Search Report has been	e (37 CFR 1.492(a)(1)-(5	CALCULATION	S P	TO USE ONLY			
International preliminary	examination fee paid to U		\$670.00				
No international prelimina international search fee p	ary examination fee paid to usPTO (37CFR 1	o USPTO (37 CFR 1.48 .445(a)(2))	32) but \$690.00				
Neither international prel international search fee	iminary examination fee (37 CFR 1.445(a)(2)) pai	37CFR 1.482) nor id to USPTO	\$970.00				
	examination fee paid to Urovisions of PCT Article		\$96.00				
ENTER APP	ROPRIATE BASIC	FEE AMOUNT	=	\$	840	00	
Surcharge of \$130.00 for furnis months from the earliest claime	shing the oath or declarati d priority date 37 (CFR 1	on later than □ 20 □ .492(e)).	30	\$	0	00	
Claims	Number filed	Number Extra	Rate				
Total Claims	16 - 20 =	0	0 X \$18.00	\$	0	00	
Independent Claims	2-3=	0	0 X \$78.00	\$	0	00	
Multiple dependent claims (s)(i	f applicable)	0	+ \$260.00	\$	0	00	
TOTAL O	F ABOVE CALC	JLATIONS	=	\$	840	00	
Reduction by ½ for filing by sm		erified Small Entity state	ment must also	\$	0	00	
R.		SUBTOTAL	=	\$	840	00	
Processing fee of \$130.00 for the months from the earliest claims	• •		□ 30 +	\$	0	00	
		TAL NATIONAL	FEE =	\$	840	00	
Fee for recording the enclosed accompanied by an appropriate				\$	0	00	
		TAL FEES ENC		\$	840	00	
:				Amount to b	oe:	\$	
				charged		\$840.00	
a. A check in the amount of \$ to cover the above fees is enclosed. b. Please charge my Deposit Account No. 50-1177 in the amount of \$840.00 to cover the above fees. A triplicate copy of this sheet is enclosed. Order No. 00-0030 overpayment to Deposit Account No. 50-1177 A triplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status. SEND ALL CORRESPONDENCE TO: Cognis Corporation, Law Dept. 2500 Renaissance Blvd, Suite 200 SIGNATURE							
	Gulph Mills	en J. Trzasl	NEY FOR	APPLICANT			

Form PTO 1390 (REV 5-93)

420 Rec'd PCT/PTO 2 8 JAN 2000 "Express Mail" mailing label number <u>EL444424928US</u>.

PATENT Docket No. H 3033 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE:

PCT/EP98/04534

International Filing Date: July 20, 1998 Priority Date Claimed: July 28, 1997

Applicant: Behler, et al.

Title: LOW VISCOSITY DISPERSION FOR PAPER OR

TEXTILE PROCESSING

Applicants' Reference: H 3033 PCT/US

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Box PCT Washington, DC 20231

ATTN: DO/EO/US

Sir:

Preliminary to examination, please amend the instant application as follows.

In the Specification:

At page 1, before line 1, insert -- Background of the Invention --.

At page 1, line 11, delete "WO 96/08601", and insert --WO 96/05601--.

At page 2, line 11, insert --Brief Summary of the Invention--.

At page 2, line 21, insert --Detailed Description of the Invention--.

Enter a new page 18, submitted herewith, containing the Abstract of the Disclosure.

In the Claims:

Cancel claims 1-14, without prejudice.

Please enter the following new claims.

- 15. A composition for softening paper and textile substrates comprising:
 - (a) a nonionic component selected from the group consisting of a monoester of

glycerol and a C_{8-22} fatty acid, a diester of glycerol and a C_{8-22} fatty acid, and mixtures thereof;

- (b) a polyol component;
- (c) a cationic emulsifier;
- (d) a nonionic emulsifier; and
- (e) water, and wherein the nonionic component and polyol component are present in the composition in a ratio by weight of from 2.5:1 to 1:2.5.
- 16. The composition of claim 15 wherein the composition has a Brookfield viscosity of from 1 to 100 mPas.
- 17. The composition of claim 15 wherein the nonionic component is present in the composition in an amount of from 1 to 14% by weight, based on the weight of the composition.
- 18. The composition of claim 15 wherein the nonionic component and the polyol component are present in the composition in a ratio by weight of from 2.0:1 to 1:1.
- 19. The composition of claim 15 wherein the polyol component is present in the composition in an amount of from 1 to 12% by weight, based on the weight of the composition.
- 20. The composition of claim 15 wherein at least 90% of particles present in the composition are smaller than 1000 nm.
- 21. The composition of claim 15 wherein the polyol component is a mixture of glycerol and polyethylene glycol.
- 22. The composition of claim 21 wherein the glycerol and polyethylene glycol are present in a ratio by weight of from 10:1 to 6:1.

- 23. A process for softening a paper and/or textile substrate comprising contacting the paper and/or textile substrate with a softening composition containing:
- (a) a nonionic component selected from the group consisting of a monoester of glycerol and a C_{8-22} fatty acid, a diester of glycerol and a C_{8-22} fatty acid, and mixtures thereof;
 - (b) a polyol component;
 - (c) a cationic emulsifier;
 - (d) a nonionic emulsifier; and
- (e) water, and wherein the nonionic component and polyol component are present in the composition in a ratio by weight of from 2.5:1 to 1:2.5.
- 24. The process of claim 23 wherein the composition has a Brookfield viscosity of from 1 to 100 mPas.
- 25. The process of claim 23 wherein the nonionic component is present in the composition in an amount of from 1 to 14% by weight, based on the weight of the composition.
- 26. The process of claim 23 wherein the nonionic component and the polyol component are present in the composition in a ratio by weight of from 2.0:1 to 1:1.
- 27. The process of claim 23 wherein the polyol component is present in the composition in an amount of from 1 to 12% by weight, based on the weight of the composition.
- 28. The process of claim 23 wherein at least 90% of particles present in the composition are smaller than 1000 nm.
- 29. The process of claim 23 wherein the polyol component is a mixture of glycerol

and polyethylene glycol.

30. The process of claim 29 wherein the glycerol and polyethylene glycol are present in a ratio by weight of from 10:1 to 6:1.

Respectfully submitted,

Steven J. Trzaska (Reg. No. 36,296)

Attorney For Applicant(s)

(610) 278-4929

Cognis Corporation, Patent Dept. 2500 Renaissance Boulevard, Suite 200 Gulph Mills, PA 19406

SJT/ras G:\DATA\AMEND\H3033.PAM

ABSTRACT OF THE DISCLOSURE

A composition for softening paper and textile substrates containing: (a) a nonionic component selected from the group consisting of a monoester of glycerol and a C_{8-22} fatty acid, a diester of glycerol and a C_{8-22} fatty acid, and mixtures thereof; (b) a polyol component; (c) a cationic emulsifier; (d) a nonionic emulsifier; and (e) water, and wherein the nonionic component and polyol component are present in the composition in a ratio by weight of from 2.5:1 to 1:2.5.

10

15

20

25

PCT/EP98/04534

420 Rec'd PCT/PTO 2 8 JAN 2000

Low Viscosity Dispersion for Paper or Textile Processing

This invention relates to concentrated, low-viscosity aqueous dispersions for the treatment of paper and textiles, to a process for the production of these dispersions and to the use of the dispersions for the softening of paper and textiles.

For many paper and textile products, softness is an important Thus, consumers expect textiles or paper products, for requirement. example paper handkerchiefs, household towels or sanitary articles, to feel soft. Accordingly, numerous suitable compounds and compositions are known for the softening of paper and textiles. It is known from US 3,594,224 that certain quaternary ammonium compounds are suitable for improving the softness of cellulose fibers. WO 96/08601 proposes a polysiloxane-containing composition for treating tissue products which, besides polysiloxanes, also contains a polyhydroxy compound, such as polyethylene glycol or glycerol. WO 94/10381 describes mixtures of quaternary ammonium compounds and polyethylene glycol or polypropylene glycol for the softening of paper products and cellulose-containing fibers. EP 569 847 A1 describes alkoxylated natural oils and fats as active ingredients of fabric softener formulations. EP 494 769 A2 describes fabric softeners based on pentaerythritol esters. EP 698 140 B1 claims tissue paper treated with a three-component softener. Sorbitan fatty acid esters are used as the softening component. These compounds are formulated as aqueous dispersions and are suitably applied to the products. EP 698 140 B1 proposes nonionic emulsifiers, such as alkyl (oligo)glycosides or ethoxylated or propoxylated sorbitan esters in combination with selected polyhydroxy compounds, as a suitable emulsifier system.

However, the compositions mentioned above often contain only up to 10% by weight of active substances because dispersions with higher

10

15

20

25

30

concentrations can also have a greatly increased viscosity which makes direct processing, for example by spraying onto textile or paper webs, difficult or even impossible. Highly concentrated dispersions also tend to separate or break up more quickly and show reduced stability in storage.

Accordingly, the problem addressed by the present invention was to provide concentrated, but low-viscosity compositions in the form of aqueous dispersions for the softening of paper and textiles.

It has been found that dispersions containing a selected softener combination based on glycerol and derivatives thereof satisfy the lowviscosity and high-stability requirements mentioned above.

Accordingly, the present invention relates to concentrated, low-viscosity aqueous dispersions for the softening of paper and textiles which contain

- a) a nonionic softener component selected from monoesters or diesters of glycerol with C_{8-22} fatty acids and mixtures thereof,
- b) a polyol compound,
- c) cationic and nonionic emulsifiers,
- d) 70 to 90% by weight water

and optionally other auxiliaries and additives, the ratio by weight of component a) to component b) being from 2.5:1 to 1:2.5.

The dispersions according to the invention are low-viscosity dispersions, i.e. they preferably have a Brookfield viscosity in the range from 1 to 100 mPa·s and more particularly in the range from 1 to 50 mPa·s, as measured at 20°C (spindle 1, 20 r.p.m.). Dispersions with a viscosity below 10 mPa·s are particularly preferred. The water content is between 70 and 90% by weight, dispersions containing less than 80% by weight water being preferred. The dispersions are fine-particle storage-stable dispersions and may be directly applied to the paper or to the textiles. There is no need for additional dilution or other conditioning.

The dispersions are generally suitable for the softening of paper or

10

15

20

25

30

textiles. They may be used both for permanent softening and also for temporary softening. Thus, the dispersions may be used during the production or finishing of paper products or textiles or as an aftertreatment or fabric softener in washing machines or institutional laundries or as a tumbler aid.

In the context of the present invention, textiles are understood to be any textile piece goods which contain synthetic or natural fibers, for example wool, cotton, polyamide, polyester or polyacrylic fibers or blends of these fibers. However, the textile fibers themselves may be treated with the dispersions. Besides paper and paper products, cellulose-containing fibers, for example chemical and mechanical pulp fibers, and fleeces or nonwovens of these fibers may also be treated with the dispersions. The dispersions are preferably used for the softening of paper and paper products, including for example tissue paper which is used in the manufacture of handkerchiefs, kitchen or household towels, and sanitary articles, such as tampons, toilet paper and diapers.

In the treatment of paper or textiles, any processes known to the expert for applying liquid treatment compositions may be used, including for example print coating, spray coating, slop-padding, padding, size press coating, air-jet coating, air-knife coating, roll coating or gravure coating. To this end, textile or paper webs are generally contacted with the dispersions in suitable machines in which the dispersions are applied to the textile or to the paper in suitable quantities. Textiles may also be treated by absorption processes in which the textile remains in the aqueous dispersion and the active substances are absorbed onto the fibers. The dispersions may even be used in heated form, i.e. at temperatures of up to 80°C.

So far as the finishing of paper/paper products is concerned, processes of the type in question are described, for example, in Handbook of Paperboard and Board, R.R.A. Higham, BB Ltd, London 1970, pages 142 to 169 and, for textiles, in Veredelung von Textilien, VEB

Fachbuchverlag Leipzig 1990, pages 193 to 228.

The dispersions contain monoesters or diesters of glycerol with C₈₋₂₂ fatty acids, which may be linear or branched, saturated or unsaturated, as the nonionic softening component a). Glycerol esters based on saturated linear fatty acids, for example lauric acid, myristic acid, palmitic acid, stearic acid, arachic acid or behenic acid or mixtures thereof, are particularly suitable. The monoglycerides or diglycerides may also be used in the form of the mixtures accumulating in the industrial-scale production process. The glycerides may also be present in mixtures of mono- and diglycerides. However, dispersions containing at least 60% by weight of diglycerides, based on the softener component a), are preferred. The dispersions contain the nonionic softener component a) in quantities of preferably 1 to 14% by weight, dispersions containing the softener in quantities of 5 to 10% by weight being particularly preferred.

The dispersions contain at least one polyol compound b) as another key ingredient in such quantities that the ratio by weight of the nonionic softener component to the polyol compound is in the range from 2.5:1 to 1:2.5 and preferably in the range from 2.0:1 to 1:1. A polyol compound in the context of the present invention is understood to be an organic compound containing at least two carbon atoms and at least two hydroxyl groups in the molecule, the hydroxyl groups not being derivatized. Suitable polyol compounds are, for example, glycerol and dimers or trimers thereof, glycols and polymers thereof, pentaerythritol, di- and trimethylol propane, sorbitan, mannitol, xylitol, glucose, mannose or fructose.

The dispersions preferably contain glycerol, diethylene glycol, polyethylene glycol or 1,2-propylene glycol and mixtures thereof as the polyol compound. Other preferred dispersions are those which contain polyethylene glycol with an average molecular weight in the range from 200 to 1000 and preferably in the range from 200 to 600.

The percentage content of polyol compounds b) is preferably in the

20

5

10

15

30

25

range from 1.0 to 12.0% by weight and more preferably in the range from 5 to 10% by weight. Mixtures of glycerol with polyethylene glycol are particularly suitable, mixtures in which the ratio by weight of glycerol to polyethylene glycol is from 10:1 to 6:1 being particularly preferred. The glycols are present in quantities of preferably 0.1 to 2.0% by weight and more preferably 0.1 to 1.0% by weight.

The dispersions according to the invention contain a system of cationic and nonionic emulsifiers as emulsifiers c) for the nonionic softeners. Particularly suitable nonionic emulsifiers are fatty acids and fatty alcohols or derivatives thereof, particularly reaction products thereof with alkylene oxides, such as ethylene oxide, propylene oxide and/or butylene oxide. Preferred cationic emulsifiers are compounds containing at least one cationically charged nitrogen atom.

Suitable cationic emulsifiers are preferably selected from the group of quaternary ammonium compounds corresponding to formulae (I) and (II):

25

30

5

10

in which R is an acyclic alkyl group containing 12 to 24 carbon atoms, R^1 is a saturated C_{1-4} alkyl or hydroxyalkyl group, R^2 has the same meaning as R or R^1 and COR^3 stands for an aliphatic acyl group containing 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds and R^4 is hydrogen or OH, n has a value of 1, 2 or 3 and X is a halide, methosulfate, methophosphate or

10

15

20

C₁₆₋₁₈ alkyl groups are particularly preferred.

Examples of cationic emulsifiers corresponding to formula (I) are didecyl dimethyl ammonium chloride, ditallow dimethyl ammonium chloride or dihexyldecyl dimethyl ammonium chloride. Examples of compounds corresponding to formula (II) are methyl-N,N-bis(acyloxyethyl)-N-(2-hydroxyethyl)-ammonium methosulfate, methyl-N-(2-hydroxyethyl)-N,N-di(tallowacyloxyethyl)ammonium methosulfate and bis-(palmitoyl)-ethylhydroxyethyl methyl ammonium methosulfate. Besides the compounds of formulae (I) and (II), short-chain water-soluble quaternary ammonium compounds, for example trihydroxyethyl methyl ammonium methosulfate or cetyl trimethyl ammonium chloride, may also be used. Protonated alkylamine compounds which have a softening effect are also suitable.

If quaternized compounds of formula (II) containing unsaturated alkyl chains are used, those acyl groups are preferred of which the corresponding fatty acids have an iodine value in the range from 5 to 25, preferably in the range from 10 to 25 and more preferably in the range from 15 to 20 and which have a cis/trans isomer ratio (in % by weight) of 30:70, preferably greater than 50;50 and more preferably greater than 70:30.

Besides the quaternary compounds described above, other known compounds, for example quaternary imidazolinium compounds corresponding to formula (III):

30

20

25

in which R^5 is a saturated alkyl group containing 12 to 18 carbon atoms, R^6 is an alkyl group containing 1 to 4 carbon atoms or hydrogen and Z is an NH group or oxygen and A is an anion,

5 may also be used.

Other suitable quaternary compounds correspond to formula (IV):

$$(R^7)_3N$$
— $(CH_2)_n$ — CH — $OOCR^8$ X^-
10 CH_2 — $OOCR^8$ (IV)

in which the substituents R^7 selected independently of one another represent a C_{1-4} alkyl, alkenyl or hydroxyalkyl group, the substituents R^8 selected independently of one another represent a C_{8-28} alkyl group and n has a value of 0 to 5. X stands for an anion, for example a halide, methosulfate, methophosphate or phosphate ion. The dispersions according to the invention contain the cationic emulsifiers in quantities of preferably 0.5 to 3.0% by weight and more preferably 1.0 to 2.0% by weight.

In addition, the dispersions contain nonionic emulsifiers, preferably from the group of alkoxylated fatty acids containing 8 to 22 carbon atoms, alkoxylated fatty acid esters of fatty acids containing 8 to 22 carbon atoms with monohydric alcohols containing 1 to 10 carbon atoms and alkoxylated fatty alcohols containing 8 to 22 carbon atoms, the alkoxylated compounds having HLB values of 3 to 20 and preferably in the range from 8 to 16. The HLB (hydrophilic/lipophilic balance) value is a measure of the water or oil solubility of nonionic surfactants (cf. Römpp Chemie Lexikon, Vol. 3, 9th Edition 1990, pages 1812-13). It is defined by the following equation:

$$HLB = 20\left(1 - \frac{VZ}{SZ}\right)$$

10

15

20

25

30

where AV is the acid value and SV is the saponification value of the corresponding compound.

The fatty acid ester alkoxylates are known compounds which are described, for example, in US 2,678,935, US 3,539,518, US 4,022,808 and GB 1,050,497, of which the disclosures also form part of the present application.

The alkoxylated fatty acid esters may be prepared by any of the methods known to the expert, for example by esterification of fatty acids with alkoxylated methanol, as described for example in US 3,539,518. Another method comprises directly reacting fatty acid esters with alkylene oxides in the presence of transition metal catalysts, as described in US 4,022, 808. However, the fatty acid alkyl ester alkoxylates are preferably produced by the heterogeneously catalyzed direct alkoxylation of fatty acid alkyl esters with ethylene oxide and/or propylene oxide on hydrophobicized hydrotalcites. These synthesis processes are described in detail in WO 90/13533 and WO 91/15441, of which the disclosure is also part of the present application. The products formed are distinguished by a low OH value. The reaction is carried out in a single stage and gives light-colored products. The fatty acid alkyl esters used as starting materials may be obtained from natural oils or fats or may be synthetically produced.

Examples of particularly suitable nonionic emulsifiers are C_{12-18} fatty alcohols containing 7 to 14 moles of ethylene oxide per mole of alcohol and cetyl/stearyl alcohol containing 20 moles of ethylene oxide and C_{12-18} fatty acids or fatty acid esters with C_{1-4} alcohols which contain between 8 and 16 moles of ethylene oxide per mole of fatty acid or ester.

Other suitable nonionic emulsifiers are selected from the group of alkyl (oligo)glycosides corresponding to the formula R-O- $[Z]_x$, where R is an alkyl group containing 8 to 22 carbon atoms, Z is a sugar unit containing 5 or 6 carbon atoms and x is a number of 1 to 10. Alkyl (oligo)glycosides, their production and their use as surfactants are known, for example, from

10

15

20

25

30

DE 19 43 689 A1 and from DE 38 27 543 A1.

So far as the glycoside unit is concerned, both monoglycosides where a sugar unit is attached to the fatty alcohol by a glycoside linkage and oligomeric glycosides with a mean degree of oligomerization of up to about 2 are particularly suitable. In commercially available alkyl oligoglycosides, the glucoside unit is present as the glycoside.

The percentage content of nonionic emulsifiers is preferably between 0.1 and 3.0% by weight and more preferably between 0.5 and 1.5% by weight.

The dispersions contain water in quantities of 70 to 90% by weight as solvent d). Deionized water is preferably used, although tap water may also be used. The pH value of the dispersions is preferably in the range from 4.5 to 7.5 and more preferably in the range from 5.0 to 6.5 and may be adjusted by addition of suitable acids, for example HCI, or bases, such as aqueous sodium hydroxide solution.

Besides the described ingredients a) to d), the dispersions according to the invention may contain other auxiliaries and additives typically encountered in the treatment of paper and textiles, including for example biocides, preservatives, dyes, pearlizers, defoamers, soil-release compounds, UV filters, perfume oils and fragrances and other additives obtained from native sources, for example vitamins or plant extracts.

The described dispersions may be prepared by any methods known to the expert. However, the nonionic softener and the cationic emulsifier are preferably added together to a mixture of the other components (nonionic emulsifier, glycerol and water and optionally auxiliaries and additives). Depending on the melting points of the individual components, it may be necessary to heat the mixtures, generally to temperatures of 40 to 80°C. The crude dispersion is then intensively mixed.

The dispersions are fine-particle dispersions and contain at least 90% (number distribution) of particles smaller than 1000 nm and preferably

smaller than 500 nm in size. Accordingly, it is only possible to use homogenizers which are capable of transmitting sufficiently powerful shear forces in order to obtain the fine-particle dispersions required. Suitable homogenizers are, for example, high-pressure or ultrasonic homogenizers.

It has been found that the use of certain homogenizers leads to dispersions having particularly advantageous properties.

Accordingly, the present invention also relates to a process for the production of the dispersions described above, in which components a) to c) and the auxiliaries present, if any, are first dispersed in water and the crude dispersion obtained is subsequently homogenized under pressures of 10 to 600 bar in a high-pressure homogenizer known to the expert (for example of the type manufactured by APV Homogenisator GmbH, Lübeck). In this case, it is particularly preferred to carry out homogenization under pressures of 25 to 250 bar.

15

20

10

5

As is normally the case where high-pressure homogenizers are used, the crude dispersion is homogenized first under low pressures, i.e. in the range from 10 to 50 bar, and then under higher pressures above 50 bar. It can be of advantage to homogenize the dispersions several times under different pressures. In another preferred embodiment, the homogenization treatment is carried out at temperatures in the range from 20 to 100°C and preferably in the range from 25 to 70°C. Depending on the auxiliaries and additives used, therefore, it may even be preferred to add them to the dispersions after homogenization.

25

30

Examples

Three different dispersions were prepared by initially melting the nonionic softener with the cationic emulsifier at 70°C. The resulting melt was then added to the other components which had been introduced into a stirred tank reactor at 70°C, followed by stirring for 15 minutes. The crude dispersion thus obtained was cooled to room temperature and then

homogenized in a high-pressure homogenizer (manufacturer: APV Homogenisator GmbH, Lübeck, Model LAB 60/60) at 40°C once under a pressure of 50 car and twice under a pressure of 200 bar. The pH value of the dispersion was 5.5.

Only dispersion 1 according to the invention has the low viscosity required, comparison dispersions 2 and 3 having a high viscosity which was impossible to measure.

The composition of concentrates 1 to 3 is shown in Table 1:

10 Table 1 (quantities in % by weight active substance)

	13.15	2 Juli	13 (12) 13 (12)
Glycerol di-C _{16/18} -fatty acid ester	9.7	10.6	12
Glycerol	4.8	2.7	2.5
Polyethylene glycol MW 400	0.5	0.5	0.5
Dehyquart Au 46	1.4	1.5	1.4
Stantex S 6030	0.9	1.8	1.6
Ratio by weight of softener to glycerol	1.8:1	3.3:1	4.0;1
Viscosity [mPa·s]**	12.5	n.d.*	n.d.*

- * not determined because the dispersion could not be homogenized at 40°C
- 15 ** Brookfield, spindle 1, 20°C, 20 r.p.m. (RVF viscosimeter manufactured by Brookfield Eng. Ltd.)

Dehyquart Au 46 methyl-N,N-bis-(acyloxyethyl)-N-(2-hydroxyethyl)-ammonium methosulfate (Henkel)

20 Stantex S 6030 ethoxylated methyl laurate containing 12 parts of ethylene oxide (Henkel).

WO 99/05246

15

PCT/EP98/04534

Amended claims

A concentrated low-viscosity aqueous dis 1. textiles and paper containing

article 34

arnex
(English Translation):s

- a nonionic softener component selected fi of glycerol with C8-22 fatty acids and mixture 5
 - a polyol compound, b)
 - cationic and nonionic emulsifiers, c)
 - 70 to 90% by weight water and optionally other auxiliaries and additives, the ratio by weight of component a) to component b) being from 2.5:1 to 1:2.5,

characterized in that cationic emulsifiers are present in quantities of 0.5 to 3.0% by weight.

- A dispersion as claimed in claim 1, characterized in that it has a 2. Brookfield viscosity, as measured at 20°C (spindle 1, 20 r.p.m.), in the range from 1 to 100 mPa·s and preferably in the range from 1 to 50 mPa·s.
- A dispersion as claimed in claim 1 or 2, characterized in that the 3. polyol compound is selected from glycerol, diethylene glycol, polyethylene glycol and 1,2-propylene glycol or mixtures thereof.
- A dispersion as claimed in any of claims 1 to 3, characterized in that 20 the cationic emulsifiers used are quaternary ammonium compounds corresponding to formulae (I) and (II):

30

10

15

in which R is an acyclic alkyl group containing 12 to 24 carbon atoms, R¹ is a saturated C₁₋₄ alkyl or hydroxyalkyl group, R² has the same meaning as R or R¹ and COR³ stands for an aliphatic acyl group containing 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds and R⁴ is hydrogen or OH, n has a value of 1, 2 or 3 and X is a halide, methosulfate, methophosphate or phosphate ion.

- 5. A dispersion as claimed in any of claims 1 to 4, characterized in that the nonionic emulsifiers present are alkoxylated fatty acids containing 8 to 22 carbon atoms, alkoxylated fatty acid esters of fatty acids containing 8 to 22 carbon atoms with alcohols containing 1 to 10 carbon atoms and/or alkoxylated fatty alcohols containing 8 to 22 carbon atoms, the alkoxylated compounds having HLB values of 3 to 20.
 - 6. A dispersion as claimed in any of claims 1 to 5, characterized in that the nonionic softener component a) is present in quantities of 1 to 14% by weight and preferably in quantities of 5 to 10% by weight.
- 7. A dispersion as claimed in any of claims 1 to 6, characterized in that the nonionic emulsifier is present in quantities of 0.1 to 3.0% by weight.
 - 8. A dispersion as claimed in any of claims 1 to 7, characterized in that a mixture of glycerol and polyethylene glycol is present as component b).
 - 9. A dispersion as claimed in claim 8, characterized in that the ratio by weight of glycerol to polyethylene glycol is between 10:1 and 6:1.
- 20 10. A process for the production of the dispersions claimed in claim 1, characterized in that components a) to c) and the auxiliaries present, if any, are dispersed in water and the crude dispersion obtained is subsequently homogenized under pressures of 10 to 600 bar in a high-pressure homogenizer.
- 25 11. A process as claimed in claim 10, characterized in that the crude dispersion is homogenized under pressures of 25 to 250 bar.
 - 12. The use of the dispersions claimed in claim 1 for the softening of paper.
- 13. The use of the dispersions claimed in claim 1 for the softening of textile piece goods.

The state of the s

14. The use of the dispersions claimed in claim 1 as fabric softeners.

"Ě	xpress Mail"	mailing	label number	EL444424928US .
_				



PTO/SB/01 (6-95) Approved for use through: 10/31/98 OMB 0651-0032 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Type a plus sign (+) inside this box → 0010/PTO Rev. 6/95 U.S. Department of Commerce Attorney Docket H 3033 PCT/US Patent and Trademark Office Number First Named Inventor Behler, Ansgar DECLARATION FOR UTILITY OR DESIGN COMPLETE IF KNOWN PATENT APPLICATION 09/463,675 Application Number Filing Date 05/12/2000 Declaration Declaration **Group Art Unit** Submitted Submitted after Initial Filing with Initial Filing Examiner Name As a below named inventor, I hereby declare that: My residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: LOW VISCOSITY DISPERSION FOR PAPER OR TEXTILE PROCESSING (Title of the Invention) the specification of which is attached hereto OR 07/20/1998 was filed on (MM/DD/YYYY) as United States Application Number or PCT International **Application Number** PCT/EP98/04534 (if applicable). and was amended on (MM/DD/YYYY) I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above l acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, § 1.56. I hereby claim foreign priority benefits under Title 35, United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT International application having a filing date before that of the application on which priority is claimed. Foreign Filing Date Prior Foreign Application Country Priority Certified Copy Attached? Number(s) (MM/DD/YYYY Not Claimed YES NO 197 32 396.0 DE 07/28/1997

_==	Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:										
I hereby claim the benefit under	Title 35, United States Code §119(e)	of any United States provisional application(s) listed below.									
Application Number(s)	Filing Date (MM/DD/YYYY)	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.									

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual ca are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. se. Any comments on the amount of time you DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

> "Express Mail Post Office to Addressee" service Mailing Label Number

EL541613063US

geng geno wi abaj geng geng 22 a mar. a mero a na n Madi small mila kuas Kesti Ibali





DECLARATION


Page 2

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112.1 acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filling date of the prior application and the national or PCT international filling date of this application.

			Parent mber		Parent Fi (MM/DD	•		F	Parent Patent Numbe (if applicable)			
			PCT/EP98/	04534		07/20/1998						
Addition	nal U.S. or	PCT internati	onal application r	umbers a	re listed on a	a supplemental	priorit	y sheet attac	hed her	eto.		
As a named in Trademark Of			the following attor :	rney(s) and	d/or agent(s) to prosecute t	his ap	plication and	to trans	act all busine	ss in the Pat	ent an
Firm No	1						Rus	tomer _{or Mo}		,		J
X List At	torney(s) a	Name	(s) name and re		tration	ełow:			Vame		Registrat	ion
					nber			•			Numb	
John E. Drach Steven J. Trzaska Henry E. Millson, Jr.				32,8 36,2 18,9	96							
Additio	nal attorne	ey(s) and/or	agent(s) named	on a sup	plemental	sheet attache	d here	eto.				
Please direct corresponder			Custome Number	er orlab	el	OR X Fill in corresponde address below			ence			
Name	Johr	E. Drach										
Address	,Cogi	nis Corpora	ation - Patent	Departm	ent							
Address		•	nce Boulevard	d, Suite	200	·						
City		h_Mills_				State		PA				9406
Country	USA			Teleph		610-278-49			Fa ·		10-278-6	548
belief are beli like so made	eved to be are punist	true; and funable by fine	made herein of orther that these or imprisonmer lize the validity o	stateme	nts were m n, under Se	ade with the kection 1001 of	nowie Title 1	dge that wi	llful fals	e statements	s and the	1
Name of S	Sole or F	irst Inven	tor:					A petition h	as been	filed for this	unsigned	
Given Ansgar Name			Middle Initial	9	· Property			Suffix e.g. Jr.				
Inventor's Signature	A.	1820	Jan-	1					Date	0211	7100	
Residence: Bottrop.			State	•	Country	G	ermany 🏒	以	Citizenship	Germany	,	
Post Office A	ddress	Siegfried	strasse 80									
Post Office A	ddress					····						

Type a plus sign (+) ir	nside this box							1	Н	3033 F	CT/US	
	DECLARATION						ADDITIONAL INVENTOR(S) Supplemental Sheet					
Name of Additional Joint Inventor, if any:					A petiti	on h	as been file	d for th	nis unsigi	ned inv	entor	
Given Berno	<u>i</u>		Middle Initial		Family Name	下	WAHLE		1	Suffix e.g. Jr.		
Inventor's Signature	Bennel	l	·h.	w				Date	0211	17/01	Ó	
Residence: Ka	aarst		State		Cour	ntry	Germany)	V-XC	itizenship	Germa	iny	
Post Office Address	Am Heidt 24						1			*		
Post Office Address												
City 41564 Kaai	rst	State	Ziş)	Cou	ntry	Germany		pplicant			
Name of Addition	nal Joint Invento	or, if any:			A petiti	on h	nas been file	d for ti	his unsigi	ned inv	entor	
Given Ludw Name	rig		Middle Initial		Family Name		BOENNIGE	R .		Suffix e.g. Jr.		
Inventor's Signature	duid	RX	'nn	192				Date	0211	17/0	0	
Residence: K	empen	<u> </u>	State		Cou	ntry	Germany /)E Y	Hitizenship	Germa	ny	
Post Office Address	Ziegelheide 17	,										
Post Office Address											•	
City 47906 Kerr	ipen	State	Ziį)	Cou	ntry	Germany		pplicant authority			
Name of Addition	nal Joint Invento	or, if any:			A petiti	ion h	nas been file	d for t	his unsig	ned inv	entor	
Given Yvon Name	<u>ne</u>		Middle Initial		Famil Name		REICHERT			Suffix e.g. Jr.		
Inventor's Signature	oene Ke	Pick		•		k		Date	02/1	17/0	0	
	refeld		State		Cou	ntry	Germany	1	itizenship	Germa		
Post Office Address	Kolpingstrass	e 27					1					
Post Office Address								·				
City 47829 Kref	feld	State	Zi	P	Cou	ntry	Germany		Applicant Authority			
Name of Addition	nal Joint Invent	or, if any:			A petit	ion h	nas been file	ed for t	his unsig	ned inv	entor	
Given Almu Name	d		Middle Initial		Famil Name		FOLGE	<u> </u>		Suffix e.g. Jr.		
Inventor's Signature	much Toly	K.						Date	02/1	Hac)	
	angenfeld		State		Cou	ntry	Germany		Citizenship	Germa	ny	
Post Office Address	Locher Weg 3	7			_							
Post Office Address							1-12-					
City 40764 Lan	genfeld	State	Zi	Р	Cou	ntry	Germany		Applicant Authority			
Additional	inventors are bei	ng named	on supp	lemental	sheet(s) atta	ched hereto			· · · · · ·		

United States Patent & Trademark Office Office of Initial Patent Examination -- Scanning Division



. ipplication deficiencie	s were fou	nd during scanning:	
Page(s) 12 thr for scanning.	140f	Specification (Document title)	were not present
Page(s)for scanning.	of	(Document title)	were not present
□ Scarped copy is t	nest availai	nie.	